



## Safety Data Sheet

Copyright, 2015, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

|                        |           |                         |          |
|------------------------|-----------|-------------------------|----------|
| <b>Document Group:</b> | 10-9700-5 | <b>Version Number:</b>  | 42.00    |
| <b>Issue Date:</b>     | 05/21/15  | <b>Supersedes Date:</b> | 01/21/13 |

### SECTION 1: Identification

#### 1.1. Product identifier

3M(TM) Quick Fix Adhesive (Cyanoacrylate), P.N. 08155

#### Product Identification Numbers

62-3843-0330-1

#### 1.2. Recommended use and restrictions on use

##### Recommended use

Quick Bonding Adhesive, Automotive adhesive for rubber, vinyl, metal, glass and most plastics

#### 1.3. Supplier's details

|                      |                                         |
|----------------------|-----------------------------------------|
| <b>MANUFACTURER:</b> | 3M                                      |
| <b>DIVISION:</b>     | Automotive Aftermarket                  |
| <b>ADDRESS:</b>      | 3M Center, St. Paul, MN 55144-1000, USA |
| <b>Telephone:</b>    | 1-888-3M HELPS (1-888-364-3577)         |

#### 1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

### SECTION 2: Hazard identification

The label elements below were prepared in accordance with OSHA Hazard Communication Standard, 29 CFR 1910.1200. This information may be different from the actual product label information for labels regulated by other agencies.

#### 2.1. Hazard classification

Flammable Liquid: Category 4.

Serious Eye Damage/Irritation: Category 2A.

Skin Sensitizer: Category 1.

Specific Target Organ Toxicity (respiratory irritation): Category 3.

#### 2.2. Label elements

##### Signal word

Warning

##### Symbols

Exclamation mark |

## Pictograms



## Hazard Statements

Combustible liquid.

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause respiratory irritation.

## Precautionary Statements

### General:

Keep out of reach of children.

### Prevention:

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Wear protective gloves and eye/face protection.

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

### Response:

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Call a POISON CENTER or doctor/physician if you feel unwell.

In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry chemical or carbon dioxide to extinguish.

### Storage:

Store in a well-ventilated place. Keep cool.

Keep container tightly closed.

Store locked up.

### Disposal:

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

## 2.3. Hazards not otherwise classified

Avoid eye and skin contact. If eyelids are bonded, do not force open. In case of skin bonding, quickly soak in warm water and avoid excessive force to free bonded area. May bond tissue rapidly.

## SECTION 3: Composition/information on ingredients

| Ingredient              | C.A.S. No. | % by Wt                 |
|-------------------------|------------|-------------------------|
| Ethyl Cyanoacrylate     | 7085-85-0  | 94 - 100 Trade Secret * |
| Polymethyl Methacrylate | 9011-14-7  | < 5 Trade Secret *      |

|              |          |                      |
|--------------|----------|----------------------|
| Hydroquinone | 123-31-9 | < 0.5 Trade Secret * |
|--------------|----------|----------------------|

\*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin Contact:

FOR SKIN BONDS: Quickly soak in warm water and avoid use of excessive force to free bonded area. If unable to free bonded area, or if lips or mouth are bonded, get medical attention. If irritation persists, get medical attention.

#### Eye Contact:

Immediately flush eyes with large amounts of water for at least 15 minutes. Get immediate medical attention. DO NOT force eyelids open.

#### If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

## SECTION 5: Fire-fighting measures

### 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry chemical or carbon dioxide to extinguish.

### 5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

### Hazardous Decomposition or By-Products

#### Substance

Dichloroacetylene  
Hydrocarbons  
Carbon monoxide  
Carbon dioxide  
Oxides of Nitrogen  
Toxic Vapor, Gas, Particulate

#### Condition

During Combustion  
During Combustion  
During Combustion  
During Combustion  
During Combustion  
During Combustion

### 5.3. Special protective actions for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Ventilate the area with fresh air. Warning! A motor could be an ignition source and could cause flammable gases or vapors in the spill area to burn or explode. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

## 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible using non-sparking tools. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorized person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and SDS. Seal the container. Dispose of collected material as soon as possible.

# SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

Keep out of reach of children. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.)

## 7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep cool. Keep container tightly closed to prevent contamination with water or air. If contamination is suspected, do not reseal container. Store away from heat. Store away from acids. Store away from strong bases. Store away from oxidizing agents. Store away from amines.

# SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient          | C.A.S. No. | Agency | Limit type   | Additional Comments                             |
|---------------------|------------|--------|--------------|-------------------------------------------------|
| Hydroquinone        | 123-31-9   | OSHA   | TWA:2 mg/m3  |                                                 |
| Hydroquinone        | 123-31-9   | CMRG   | STEL:4 mg/m3 |                                                 |
| Hydroquinone        | 123-31-9   | ACGIH  | TWA:1 mg/m3  | Dermal Sensitizer, A3: Confirmed animal carcin. |
| Ethyl Cyanoacrylate | 7085-85-0  | ACGIH  | TWA:0.2 ppm  |                                                 |

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

OSHA : United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

## 8.2. Exposure controls

### 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure

Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

### 8.2.2. Personal protective equipment (PPE)

#### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Indirect Vented Goggles

#### Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Do not wear cotton gloves.

Gloves made from the following material(s) are recommended: Polymer laminate

#### Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapors and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                                                |                                                          |
|------------------------------------------------|----------------------------------------------------------|
| <b>General Physical Form:</b>                  | Liquid                                                   |
| <b>Odor, Color, Grade:</b>                     | clear, colorless, sharp irritating odor                  |
| <b>Odor threshold</b>                          | No Data Available                                        |
| <b>pH</b>                                      | No Data Available                                        |
| <b>Melting point</b>                           | No Data Available                                        |
| <b>Boiling Point</b>                           | No Data Available                                        |
| <b>Flash Point</b>                             | > 175 °F [Test Method: Tagliabue Closed Cup]             |
| <b>Evaporation rate</b>                        | Not Applicable                                           |
| <b>Flammability (solid, gas)</b>               | Not Applicable                                           |
| <b>Flammable Limits(LEL)</b>                   | No Data Available                                        |
| <b>Flammable Limits(UEL)</b>                   | No Data Available                                        |
| <b>Vapor Pressure</b>                          | < 1 Pa [Details: CONDITIONS: @ 25C]                      |
| <b>Vapor Density</b>                           | 6 [Ref Std: AIR=1]                                       |
| <b>Density</b>                                 | 0.9 - 1.1 kg/l                                           |
| <b>Specific Gravity</b>                        | 0.9 - 1.1 [Ref Std: WATER=1]                             |
| <b>Solubility in Water</b>                     | Nil                                                      |
| <b>Solubility- non-water</b>                   | No Data Available                                        |
| <b>Partition coefficient: n-octanol/ water</b> | No Data Available                                        |
| <b>Autoignition temperature</b>                | No Data Available                                        |
| <b>Decomposition temperature</b>               | No Data Available                                        |
| <b>Viscosity</b>                               | 400 - 600 centipoise                                     |
| <b>Hazardous Air Pollutants</b>                | 0.100 lb HAPS/lb solids [Test Method: Calculated]        |
| <b>Volatile Organic Compounds</b>              | 950 g/l [Test Method: calculated SCAQMD rule 443.1]      |
| <b>Volatile Organic Compounds</b>              | 95.1 % weight [Test Method: calculated per CARB title 2] |
| <b>Percent volatile</b>                        | 95 % weight [Details: excluding exempt compounds]        |

VOC Less H2O & Exempt Solvents

950 g/l [Test Method: calculated SCAQMD rule 443.1]

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

### 10.2. Chemical stability

Stable.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Sparks and/or flames  
Light  
Heat

### 10.5. Incompatible materials

Strong bases  
Amines  
Alcohols  
Water

### 10.6. Hazardous decomposition products

| <u>Substance</u> | <u>Condition</u> |
|------------------|------------------|
| None known.      |                  |

Refer to section 5.2 for hazardous decomposition products during combustion.

## SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### 11.1. Information on Toxicological effects

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

#### Skin Contact:

Bonds skin rapidly.

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness. Allergic Skin Reaction

(non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

#### Eye Contact:

Bonds eyelids rapidly.

Severe Eye Irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

#### Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

#### Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### Acute Toxicity

| Name                    | Route     | Species | Value                                           |
|-------------------------|-----------|---------|-------------------------------------------------|
| Overall product         | Ingestion |         | No data available; calculated ATE > 5,000 mg/kg |
| Ethyl Cyanoacrylate     | Dermal    | Rabbit  | LD50 > 2,000 mg/kg                              |
| Ethyl Cyanoacrylate     | Ingestion | Rat     | LD50 > 5,000 mg/kg                              |
| Polymethyl Methacrylate | Dermal    |         | LD50 estimated to be > 5,000 mg/kg              |
| Polymethyl Methacrylate | Ingestion | Rat     | LD50 > 5,000 mg/kg                              |
| Hydroquinone            | Dermal    | Rat     | LD50 > 4,800 mg/kg                              |
| Hydroquinone            | Ingestion | Rat     | LD50 302 mg/kg                                  |

ATE = acute toxicity estimate

#### Skin Corrosion/Irritation

| Name                    | Species          | Value                     |
|-------------------------|------------------|---------------------------|
| Ethyl Cyanoacrylate     | Rabbit           | Mild irritant             |
| Polymethyl Methacrylate | Rabbit           | No significant irritation |
| Hydroquinone            | Human and animal | Minimal irritation        |

#### Serious Eye Damage/Irritation

| Name                    | Species               | Value           |
|-------------------------|-----------------------|-----------------|
| Ethyl Cyanoacrylate     | Rabbit                | Severe irritant |
| Polymethyl Methacrylate | Rabbit                | Mild irritant   |
| Hydroquinone            | Professional judgment | Severe irritant |

#### Skin Sensitization

| Name                | Species    | Value                                                                        |
|---------------------|------------|------------------------------------------------------------------------------|
| Ethyl Cyanoacrylate | Human      | Some positive data exist, but the data are not sufficient for classification |
| Hydroquinone        | Guinea pig | Sensitizing                                                                  |

#### Respiratory Sensitization

| Name                | Species | Value                                                                        |
|---------------------|---------|------------------------------------------------------------------------------|
| Ethyl Cyanoacrylate | Human   | Some positive data exist, but the data are not sufficient for classification |

#### Germ Cell Mutagenicity

| Name | Route | Value |
|------|-------|-------|
|------|-------|-------|

|                     |          |                                                                              |
|---------------------|----------|------------------------------------------------------------------------------|
| Ethyl Cyanoacrylate | In Vitro | Not mutagenic                                                                |
| Hydroquinone        | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Hydroquinone        | In vivo  | Some positive data exist, but the data are not sufficient for classification |

**Carcinogenicity**

| Name         | Route     | Species                 | Value                                                                        |
|--------------|-----------|-------------------------|------------------------------------------------------------------------------|
| Hydroquinone | Dermal    | Mouse                   | Not carcinogenic                                                             |
| Hydroquinone | Ingestion | Multiple animal species | Some positive data exist, but the data are not sufficient for classification |

**Reproductive Toxicity****Reproductive and/or Developmental Effects**

| Name         | Route     | Value                                                                                      | Species | Test Result         | Exposure Duration    |
|--------------|-----------|--------------------------------------------------------------------------------------------|---------|---------------------|----------------------|
| Hydroquinone | Ingestion | Not toxic to female reproduction                                                           | Rat     | NOAEL 150 mg/kg/day | 2 generation         |
| Hydroquinone | Ingestion | Not toxic to male reproduction                                                             | Rat     | NOAEL 150 mg/kg/day | 2 generation         |
| Hydroquinone | Ingestion | Some positive developmental data exist, but the data are not sufficient for classification | Rat     | NOAEL 100 mg/kg/day | during organogenesis |

**Target Organ(s)****Specific Target Organ Toxicity - single exposure**

| Name                | Route      | Target Organ(s)        | Value                                                                        | Species | Test Result         | Exposure Duration     |
|---------------------|------------|------------------------|------------------------------------------------------------------------------|---------|---------------------|-----------------------|
| Ethyl Cyanoacrylate | Inhalation | respiratory irritation | May cause respiratory irritation                                             | Human   | NOAEL Not available | occupational exposure |
| Hydroquinone        | Ingestion  | nervous system         | May cause damage to organs                                                   | Rat     | NOAEL Not available | not applicable        |
| Hydroquinone        | Ingestion  | kidney and/or bladder  | Some positive data exist, but the data are not sufficient for classification | Rat     | NOAEL 400 mg/kg     | not applicable        |

**Specific Target Organ Toxicity - repeated exposure**

| Name         | Route     | Target Organ(s)       | Value                                                                        | Species | Test Result         | Exposure Duration     |
|--------------|-----------|-----------------------|------------------------------------------------------------------------------|---------|---------------------|-----------------------|
| Hydroquinone | Ingestion | blood                 | Some positive data exist, but the data are not sufficient for classification | Rat     | NOAEL Not available | 40 days               |
| Hydroquinone | Ingestion | bone marrow   liver   | Some positive data exist, but the data are not sufficient for classification | Rat     | NOAEL Not available | 9 weeks               |
| Hydroquinone | Ingestion | kidney and/or bladder | Some positive data exist, but the data are not sufficient for classification | Rat     | LOAEL 50 mg/kg/day  | 15 months             |
| Hydroquinone | Ocular    | eyes                  | Some positive data exist, but the data are not sufficient for classification | Human   | NOAEL Not available | occupational exposure |

**Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

**SECTION 12: Ecological information**

## Ecotoxicological information

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

## Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Incinerate uncured product in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

## SECTION 14: Transport Information

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

## SECTION 15: Regulatory information

### 15.1. US Federal Regulations

Contact 3M for more information.

#### 311/312 Hazard Categories:

Fire Hazard - Yes   Pressure Hazard - No   Reactivity Hazard - Yes   Immediate Hazard - Yes   Delayed Hazard - No

### 15.2. State Regulations

Contact 3M for more information.

### 15.3. Chemical Inventories

The components of this product are in compliance with the chemical notification requirements of TSCA.

Contact 3M for more information.

### 15.4. International Regulations

Contact 3M for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

## SECTION 16: Other information

### NFPA Hazard Classification

Health: 2 Flammability: 2 Instability: 1 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

|                        |           |                         |          |
|------------------------|-----------|-------------------------|----------|
| <b>Document Group:</b> | 10-9700-5 | <b>Version Number:</b>  | 42.00    |
| <b>Issue Date:</b>     | 05/21/15  | <b>Supersedes Date:</b> | 01/21/13 |

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M

**3M USA SDSs are available at [www.3M.com](http://www.3M.com)**