

# **SAFETY DATA SHEET**

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Issuing Date 30-Oct-2009	Revision date 15-Mar-2019	<b>Revision Number</b> 6		
1. Identification				
Product identifier				
Product Name	Mothers Professional Heavy Duty Rubbing Compound			
Other means of identification				
Product Code(s)	81232, 81238, 81255			
Synonyms	None			
Recommended use of the chemical and restrictions on use				
Recommended use	Car care			
Restrictions on use	No information available.			
Details of the supplier of the safety data sheet				
Supplier Address MOTHERS POLISHES WAXES 5456 Industrial Drive Huntington Beach, CA 92649 T: 714-891-3364 F: 714-893-1827	CLEANERS			

Emergency telephone number

**Emergency Telephone** 

CHEMTREC: +1-703-527-3887 (INTERNATIONAL) 1-800-424-9300 (NORTH AMERICA)

# 2. Hazard(s) identification

# Classification

Not classified.

#### Label elements

Hazard statements Not classified.

Other information Causes mild skin irritation.

# 3. Composition/information on ingredients

# Substance

Not applicable.

# Mixture

Chemical name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Aluminum oxide	1344-28-1	>30	-	-
Petroleum distillates, hydrotreated light	64742-47-8	10-25	-	-
Glycerin	56-81-5	1-5	-	-
Calcined kaolin clay	66402-68-4	1-5	-	-
Oil mist, mineral	8012-95-1	1-5	-	-

# 4. First-aid measures

# Description of first aid measures

Inhalation	Remove to fresh air.
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if symptoms occur.
Skin contact	Wash skin with soap and water. Get medical attention if symptoms occur.
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.

Most important symptoms and effects, both acute and delayed

Symptoms Prolonged contact may cause redness and irritation.

### Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

# 5. Fire-fighting measures

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	None known based on information supplied.
Specific hazards arising from the chemical	None in particular.
Explosion data Sensitivity to mechanical impac	<b>:t</b> None.

Sensitivity to static discharge None.

Special protective equipment for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

# 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Avoid contact with skin, eyes or clothing.

Methods and material for	containment and	cleaning up	

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Dam up. Soak up with inert absorbent material. Clean contaminated surface thoroughly. Keep in suitable, closed containers for disposal.

# 7. Handling and storage

### Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse. Do not breathe vapor or mist. In case of insufficient ventilation, wear suitable respiratory equipment.

#### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a cool, well-ventilated place.

# 8. Exposure controls/personal protection

#### Control parameters

#### Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Aluminum oxide	TWA: 1 mg/m <sup>3</sup> respirable	TWA: 15 mg/m <sup>3</sup> total dust	-
1344-28-1	particulate matter	TWA: 5 mg/m <sup>3</sup> respirable	
		fraction	
		(vacated) TWA: 10 mg/m <sup>3</sup> total	
		dust	
		(vacated) TWA: 5 mg/m <sup>3</sup>	
		respirable fraction	
Glycerin	No data available	TWA: 15 mg/m <sup>3</sup> mist, total	-
56-81-5		particulate	
		TWA: 5 mg/m <sup>3</sup> mist, respirable	
		fraction	
		(vacated) TWA: 10 mg/m <sup>3</sup>	
		mist, total particulate	

				respir	VA: 5 mg/m <sup>3</sup> mist, able fraction		
Calcined kaolin clay 66402-68-4	,	STEL: 10 mg/m <sup>3</sup> Zr TWA: 5 mg/m <sup>3</sup> Zr TWA: 0.02 mg/m <sup>3</sup> Mn respirable particulate matter TWA: 0.1 mg/m <sup>3</sup> Mn inhalable particulate matter		(vacated)	: 5 mg/m³ Zr TWA: 5 mg/m³ Zr TEL: 10 mg/m³ Zr		IDLH: 25 mg/m <sup>3</sup> Zr WA: 5 mg/m <sup>3</sup> except conium tetrachloride Zr STEL: 10 mg/m <sup>3</sup> Zr
Oil mist, mineral 8012-95-1		TWA: 5 mg/m <sup>3</sup> particulate matter metal working fluid severely rei	r excluding ds, highly &		A: 5 mg/m³ ) TWA: 5 mg/m³		IDLH: 2500 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>
Chemical name		Alberta	British C	olumbia	Ontario		Quebec
Aluminum oxide 1344-28-1	Т	WA: 10 mg/m <sup>3</sup>	TWA: 1.	0 mg/m³	TWA: 1 mg/m	3	TWA: 10 mg/m <sup>3</sup>
Petroleum distillates, hydrotreated light 64742-47-8				10 mg/m³ kin			
Glycerin 56-81-5	Т	WA: 10 mg/m <sup>3</sup>		0 mg/m³ 8 mg/m³			TWA: 10 mg/m <sup>3</sup>
Calcined kaolin clay 66402-68-4		: 5 mg/m <sup>3</sup> TWA: 0.2 TWA: 5 mg/m <sup>3</sup> mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup> STEL: 10 Adverse rep effec		m <sup>3</sup> TWA: 0.2 /m <sup>3</sup> 02 mg/m <sup>3</sup> 0 mg/m <sup>3</sup> eproductive	TWA: 5 mg/m³ T\ 0.02 mg/m³ TWA: 0.1 mg/n STEL: 10 mg/n	1 <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>
Oil mist, mineral 8012-95-1		TWA: 5 mg/m³ TEL: 10 mg/m³		2 mg/m <sup>3</sup> mg/m <sup>3</sup>	TWA: 5 mg/m TWA:	3	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>

## Appropriate engineering controls

Engineering controls Individual protection measures, su	Showers Eyewash stations Ventilation systems. <b>ch as personal protective equipment</b>
-	Tight sealing safety goggles.
Eye/face protection	right sealing salety goggles.
Hand protection	Protective gloves.
Skin and body protection	Lightweight protective clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance	
Physical state	Liquid
Color	White
Odor	Naphthalenic
Odor threshold	No information available

Property	<u>Values</u>	Remarks • Method
pH	8.2	N
Melting point / freezing point	No data available	None known
Boiling point / boiling range	114 °C / 237.2 °F	
Flash point	> 105 °C / > 221 °F	N
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive	No data available	
limits		
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	1.002	
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	9500 - 10500 cP	
Other information		
Explosive properties	No information available.	
Oxidizing properties	No information available.	
Softening point	No information available	
Molecular weight	No information available	
VOC Content (%)	No information available	
VOC	< 17 g/l	
Liquid Density	No information available	
Bulk density	No information available	

# 10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.

# Hazardous decomposition products None known based on information supplied.

# 11. Toxicological information

# Information on likely routes of exposure

Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available. Contact with eyes may cause irritation.
Skin contact	Specific test data for the substance or mixture is not available. Causes mild skin irritation.
Ingestion	Specific test data for the substance or mixture is not available.

## Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

Prolonged contact may cause redness and irritation.

#### Acute toxicity

Numerical measures of toxicity No information available

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Aluminum oxide	> 5000 mg/kg (Rat)		
Petroleum distillates, hydrotreated light	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat)4 h
Glycerin	= 12600 mg/kg(Rat)	> 10 g/kg (Rabbit)	> 570 mg/m³(Rat)1 h
Oil mist, mineral	> 24 g/kg (Rat)		= 2062 ppm (Rat)4 h

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. May cause skin irritation.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	Repeated or prolonged contact may cause allergic reactions in very susceptible persons.
Germ cell mutagenicity	No information available.
Carcinogenicity	Petroleum products are known to cause cancer because of carcinogenic components (e.g. benzene). These carcinogenic components may be removed during the refinement process.

#### The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Oil mist, mineral	A2	Group 1	Known	Х
8012-95-1		Group 3		

#### Legend

 ACGIH (American Conference of Governmental Industrial Hygienists)

 A2 - Suspected Human Carcinogen

 IARC (International Agency for Research on Cancer)

 Group 1 - Carcinogenic to Humans

 Group 3 - Not Classifiable as to Carcinogenicity in Humans

 NTP (National Toxicology Program)

 Known - Known Carcinogen

 OSHA (Occupational Safety and Health Administration of the US Department of Labor)

 X - Present

 Reproductive toxicity

 No information available.

 STOT - single exposure

# **STOT - repeated exposure** No information available.

Aspiration hazard Based on product level data, this product does not meet the requirement to be classified as an aspiration hazard. However, this product contains an ingredient that may cause aspiration if swallowed.

# 12. Ecological information

### Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Petroleum distillates,	-	LC50: =2.2mg/L (96h,	-	LC50: =4720mg/L (96h,
hydrotreated light		Lepomis macrochirus)		Den-dronereides
64742-47-8		LC50: =45mg/L (96h,		heteropoda)
		Pimephales promelas)		
		LC50: =2.4mg/L (96h,		
		Oncorhynchus mykiss)		
Glycerin	-	LC50: 51 - 57mL/L (96h,	-	EC50: >500mg/L (24h,
56-81-5		Oncorhynchus mykiss)		Daphnia magna)

### Persistence and degradability No information available.

**Bioaccumulation** 

No information available.

Component Information

Chemical name	Partition coefficient
Glycerin	-1.76
56-81-5	

Mobility in soil

No information available.

Other adverse effects

No information available.

13. Disposal considerations		
Waste treatment methods		
Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.	
Contaminated packaging	Do not reuse empty containers.	

California Hazardous Waste Status This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste Status
Calcined kaolin clay	Toxic
66402-68-4	

# 14. Transport information

DOT	Not regulated
TDG	Not regulated
MEX	Not regulated

IATA_	Not regulated
IMDG	Not regulated

### 15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories	
TSCA	Contact supplier for inventory compliance status.
DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AICS	Contact supplier for inventory compliance status.

Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Aluminum oxide - 1344-28-1	1.0
Calcined kaolin clay - 66402-68-4	1.0

# SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Calcined kaolin clay 66402-68-4	-	Х	-	-

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

#### US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

#### **US State Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Aluminum oxide 1344-28-1	X	X	X
Glycerin 56-81-5	Х	X	Х
Calcined kaolin clay 66402-68-4	Х	-	Х
Oil mist, mineral 8012-95-1	X	X	Х
Isopropyl alcohol 67-63-0	X	X	Х
Morpholine 110-91-8	Х	X	Х

#### U.S. EPA Label Information

#### EPA Pesticide Registration Number Not applicable

16. Other information					
NFPA	Health hazards 1	Flammability 1	Instability 0	Physical and chemical properties -	
<u>HMIS</u>	Health hazards 1	Flammability 1	Physical hazards 0	Personal protection X	
Key or legend to ab	breviations and acronyms	used in the safety data sh	neet		
Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION       STEL       STEL (Short Term Exposure Limit)         TWA       TWA (time-weighted average)       STEL       STEL (Short Term Exposure Limit)         Ceiling       Maximum limit value       *       Skin designation         Key literature references and sources for data used to compile the SDS         U.S. Environmental Protection Agency ChemView Database       European Food Safety Authority (EFSA)         EPA (Environmental Protection Agency)       Acute Exposure Guideline Level(s) (AEGL(s))       U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act         U.S. Environmental Protection Agency High Production Volume Chemicals       Food Research Journal         Hazardous Substance Database       International Uniform Chemical Information Database (IUCLID)         Japan GHS Classification       NIOSH (National Institute for Occupational Safety and Health)         National Library of Medicine's ChemID Plus (NLM CIP)       National Toxicology Program (NTP)					

New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

Issuing Date	30-Oct-2009
Revision date	15-Mar-2019
Revision Note	Updated format.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet