## SAFETY DATA SHEET

Revision date 29-Jun-2020 Version 3 Supersedes Date: 08-Apr-2020

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Code IMU.PP003.B08

Product Name POWDER PEARL GREEN

Other means of identification

No information available

Recommended use of the chemical and restrictions on use

Tint, colorant

Details of the supplier of the safety data sheet

See section 16 for more information

Valspar Automotive 101 W. Prospect Avenue Cleveland, OH 44115 USA (216) 566-2902

E-mail address msds@valspar.com

Emergency telephone number
United States of America 800-424-9300

## **Section 2: HAZARDS IDENTIFICATION**

## Classification

| Skin corrosion/irritation                          | Category 2 |
|--|------------|
| Serious eye damage/eye irritation                  | Category 2 |
| Carcinogenicity                                    | Category 2 |
| Specific target organ toxicity (repeated exposure) | Category 1 |

#### Label elements



Signal word DANGER

#### **HAZARD STATEMENTS**

Causes skin irritation
Causes serious eye irritation
Causes damage to organs through prolonged or repeated exposure
Suspected of causing cancer

#### **PREVENTION**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Wash face, hands and any exposed skin thoroughly after handling. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product.

#### **RESPONSE**

IF exposed or concerned: Get medical advice/attention.

#### **Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

#### Skin

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

#### Inhalation

IF INHALED: Call a POISON CENTER or doctor if you feel unwell.

#### Ingestion

Do NOT induce vomiting. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

#### **STORAGE**

Store locked up.

#### **DISPOSAL**

Dispose of contents/containers in accordance with local regulations.

#### **HAZARDS NOT OTHERWISE CLASSIFIED (HNOC)**

No information available.

#### OTHER HAZARDS

Not applicable.

#### **UNKNOWN ACUTE TOXICITY**

0% of the mixture consists of ingredient(s) of unknown toxicity.

#### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name     | CAS No      | weight-% |
|-------------------|-------------|----------|
| Titanium dioxide  | 13463-67-7  | 25 - 50  |
| Proprietary Inert | Proprietary | 25 - 50  |
| 2-Butoxyethanol   | 111-76-2    | 5 - 10   |
| Tin oxide (SnO2)  | 18282-10-5  | 0.3 - 1  |

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

## **Section 4: FIRST AID MEASURES**

#### **First Aid Measures**

#### **General advice**

IF exposed or concerned: Get medical advice/attention.

#### Eve contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

#### **Skin Contact**

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

#### Inhalation

IF INHALED: Call a POISON CENTER or doctor if you feel unwell.

## Ingestion

Do NOT induce vomiting. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

#### Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

## Indication of any immediate medical attention and special treatment needed

## **Section 5: FIRE FIGHTING MEASURES**

#### Suitable extinguishing media

Water spray (fog). Carbon dioxide (CO2). Alcohol resistant foam. Dry chemical.

#### Not to be used for safety reasons:

Inert gas under high pressure (e.g. CO2), water jet ( Do not use if package is open or torn )

#### Specific hazards arising from the chemical

Burning produces heavy smoke. Fire may produce irritating and/or toxic gases. In the event of fire and/or explosion do not breathe fumes.

#### Special protective equipment for fire-fighters

Wear self-contained breathing apparatus and protective suit. Cool containers with flooding quantities of water until well after fire is out. Do not allow run-off from fire-fighting to enter drains or water courses.

## **Section 6: ACCIDENTAL RELEASE MEASURES**

#### Personal precautions, protective equipment and emergency procedures

#### Personal precautions

Remove all sources of ignition. Do not breathe dust. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

#### For emergency responders

Use personal protection recommended in Section 8.

#### **Environmental precautions**

Do not allow into any sewer, on the ground or into any body of water. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations.

#### Methods and material for containment and cleaning up

#### **Methods for containment**

Prevent further leakage or spillage if safe to do so.

## Methods for cleaning up

Dispose of waste product or used containers according to local regulations. Do not use a dry brush as dust clouds or static can be created. Pick up and transfer to properly labeled containers. Contain and collect spillage with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

## **Section 7: HANDLING AND STORAGE**

#### Precautions for safe handling

#### Advice on safe handling

Precautions should be taken to prevent the formation of dusts in concentrations above flammable, explosive or occupational exposure limits. Operators should wear anti-static footwear and clothing and floors should be of the conducting type. Use personal protection recommended in Section 8. Comply with the health and safety at work laws. Prevent product from entering drains. Do not breathe dust/fume/gas/mist/vapors/spray.

## **General Hygiene Considerations**

Avoid contact with skin, eyes or clothing. When using do not eat, drink or smoke. Wash contaminated clothing before reuse.

#### Conditions for safe storage, including any incompatibilities

#### **Storage Conditions**

Keep/store only in original container. Store in accordance with local regulations. Keep unauthorized personnel away. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

#### Incompatible materials

Strong oxidizing agents.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

## **Exposure Limits**

If S\* appears in the OEL table, it indicates this chemical contains a skin notation.

| Chemical Name                  | ACGIH TLV   | OSHA PEL                             | NIOSH IDLH  |
|--------------------------------|---|--------------------------------------|---|
| Titanium dioxide<br>13463-67-7 | TWA: 10 mg/m <sup>3</sup>   | TWA: 15 mg/m³ total dust             | IDLH: 5000 mg/m <sup>3</sup>  |
| Proprietary Inert              | TWA: 3 mg/m³ respirable particulate matter                                    | TWA: 20 mppcf <1% Crystalline silica | IDLH: 1500 mg/m³<br>TWA: 3 mg/m³ containing <1%<br>Quartz respirable dust |
| 2-Butoxyethanol<br>111-76-2    | TWA: 20 ppm   | TWA: 50 ppm<br>TWA: 240 mg/m³<br>S*  | IDLH: 700 ppm<br>TWA: 5 ppm<br>TWA: 24 mg/m³                              |
| Tin oxide (SnO2)<br>18282-10-5 | TWA: 2 mg/m <sup>3</sup> Sn TWA: 2 mg/m <sup>3</sup><br>Sn except Tin hydride | TWA: 2 mg/m³ Sn except oxides        | IDLH: 100 mg/m³ Sn<br>TWA: 2 mg/m³ Sn                                     |

#### Appropriate engineering controls

#### **Engineering Controls**

Ensure adequate ventilation, especially in confined areas. Provide local exhaust ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not breathe dust.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear safety glasses with side shields (or goggles).

## Skin and body protection

Wear suitable protective clothing. Care should be taken in the selection of protective clothing to ensure that inflammation and irritation of the skin at neck and wrists through contact with the powder are avoided.

#### **Hand Protection**

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed. Gloves should be replaced regularly and if there is any sign of damage to the glove material. Always ensure that gloves are free from defects and that they are stored and used correctly. The performance or effectiveness of the glove may be reduced by physical / chemical damage and poor maintenance. Wear protective gloves.

## Respiratory protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

#### **Thermal Protection**

No information available

## **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### Information on basic physical and chemical properties

Physical state powder

Appearance
Odor
No information available
PH value
No information available
No information available
No information available

Boiling point / boiling range No information available °C / °F

flash point 94 °C / 201 °F

evaporation rate

Flammability (solid, gas)

No information available
No information available

Flammability Limit in Air

Upper flammability limit: 11
Lower flammability limit: 1

Vapor PressureNo information availablevapor densityNo information available

Density (lbs per US gallon) 21.66 specific gravity 2.6

Solubility(ies) slightly soluble

Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
No information available

Other information

## Section 10: STABILITY AND REACTIVITY

**Reactivity** No information available.

**Chemical stability** Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization None under normal processing.

**Conditions to avoid** Heat, flames and sparks.

Incompatible materials Strong oxidizing agents.

Hazardous Decomposition Products Carbon monoxide. Carbon dioxide (CO2).

## Section 11: TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

Eye contact

Causes serious eye irritation

**Skin Contact** 

Causes skin irritation

Ingestion
Not applicable

Inhalation
Not applicable

#### Numerical measures of toxicity - Component Information

| Chemical Name                  | Oral LD50           | Dermal LD50        | Inhalation LC50     |
|--------------------------------|---------------------|--------------------|---------------------|
| Titanium dioxide<br>13463-67-7 | > 10000 mg/kg (Rat) | -                  | -                   |
| Proprietary Inert              | -                   | -                  | -                   |
| 2-Butoxyethanol<br>111-76-2    | = 470 mg/kg(Rat)    | = 99 mg/kg(Rabbit) | = 450 ppm (Rat) 4 h |

| Tin oxide (SnO2) | = 700 mg/kg (Rat) > 20 g/kg (Rat | - | - |
|------------------|----------------------------------|---|---|
| 18282-10-5       | )                                |   |   |

## Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 5000 Mg/kg
ATEmix (dermal) 11000 Mg/kg
ATEmix (inhalation-dust/mist) 15 mg/l
ATEmix (inhalation-vapor) 110 mg/l

**UNKNOWN ACUTE TOXICITY** 0% of the mixture consists of ingredient(s) of unknown toxicity.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Chemical Name    | ACGIH | IARC     | NTP | OSHA |
|------------------|-------|----------|-----|------|
| Titanium dioxide |       | Group 2B |     | X    |
| 13463-67-7       |       |          |     |      |
| 2-Butoxyethanol  | A3    |          |     |      |
| 111-76-2         |       |          |     |      |

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen.

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans.

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present.

Skin corrosion/irritation Causes skin irritation

Serious eye damage/eye irritation Causes serious eye irritation

Skin sensitization Not applicable

Respiratory sensitization Not applicable

Germ cell mutagenicity Not applicable

Carcinogenicity Suspected of causing cancer

Reproductive Toxicity Not applicable

Specific target organ toxicity (single exposure) Not applicable

Specific target organ toxicity (repeated exposure) Causes damage to organs through prolonged or repeated exposure

Aspiration hazard Not applicable

## **Section 12: ECOLOGICAL INFORMATION**

**Ecotoxicity** 

Environmental precautions Prevent product from entering drains.

Persistence and degradability

No information available

**Bioaccumulation** 

No information available

Mobility

No information available

Other adverse effects No information available

## **Section 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Improper disposal or reuse of this container may be dangerous and illegal. Empty

containers must be scrapped or reconditioned.

## **Section 14: TRANSPORT INFORMATION**

**DOT**Not regulated

IMDG Not regulated IATA Not regulated

14.1 UN/ID no 14.2 Proper shipping name

14.3 Hazard Class

14.4 Packing Group

14.5 Environmental hazard

14.6 Special Provisions

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

The supplier may apply one of the following exceptions: Combustible Liquid (49 CFR 173.150(f)); Consumer Commodity (49 CFR 173.150(c), ICAO/IATA SP A112); Limited Quantity (49 CFR 173.150(b), ICAO Part 3 Chapter 4, IATA 2.7, IMDG Chapter 3.4); Viscous Liquid (49 CFR 173.121(b), IMDG 2.3.2.2, IATA 3.3.3.1.1, ICAO 3.2.2, ADR 2.2.3.1.5); Does Not Sustain Combustion (49 CFR 173.120(a), IATA 3.3.1.3, ICAO 3.1.3, IMDG 2.3.1.3, ADR 2.2.3.1.1 Note 1); or others as allowed under hazardous materials/dangerous goods regulations.

## **Section 15: REGULATORY INFORMATION**

#### International Inventories

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL** - Canadian Domestic Substances List

All components are listed or exempt from listing. (Active List).

All components are listed or exempt

from listing

## **US Federal Regulations**

| Chemical Name   | SARA 313 - Threshold Values<br>% | Metals | Hazardous air pollutants<br>(HAPs) content |
|-----------------|----------------------------------|--------|--|
| 2-Butoxyethanol | 1                                |        |  |
| 111-76-2        |                                  |        |  |
| 5 - 10          |                                  |        |  |

## **US State Regulations**

#### Rule 66 status of product

Not photochemically reactive.

#### **California Proposition 65**

WARNING: This product contains chemicals known to the State of California to cause cancer.

#### U.S. EPA Label information

EPA Pesticide registration number Not applicable

#### U.S. State Right-to-Know Regulations

| Chemical Name                  |  |
|--------------------------------|--|
| Titanium dioxide<br>13463-67-7 |  |
| Proprietary Inert              |  |
| 2-Butoxyethanol<br>111-76-2    |  |
| Proprietary Inert              |  |
| Tin oxide (SnO2)<br>18282-10-5 |  |

## **Section 16: OTHER INFORMATION**

HMIS

Prepared By Product Stewardship

Revision date 29-Jun-2020

Revision Note No information available

Disclaimer

The information on this Safety Data Sheet (SDS) is based on the present state of our knowledge, current national legislation and guidelines. As the specific conditions of use of the product are outside the supplier's knowledge and control the user is responsible for ensuring that the requirements of relevant legislation are complied with. This SDS should not be construed as any guarantee of the technical performance or suitability for particular applications. UNLESS SUPPLIER AGREES OTHERWISE IN WRITING, SUPPLIER MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. SUPPLIER WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.

**End of Safety Data Sheet**